

Application No.:  
**10/583,130**

Applicant:  
**Åsa MELHUS et al.**

Filing Date:  
**June 16, 2006**

**Group Art Unit:**

(Use several sheets if necessary)

## U.S. PATENT DOCUMENTS

[illegible]

## FOREIGN PATENT DOCUMENTS

Examiner Initial	Document Number	Date	Country	Class	Subclass	Translation	
						Yes	No
	WO 98/55079	12/10/1998	INTERNATIONAL				
	WO 00/51650	9/8/2000	INTERNATIONAL				
	WO 99/61078	12/2/1999	INTERNATIONAL				
	WO 99/61077	12/2/1999	INTERNATIONAL				

**OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)**

Jannesson et al., ACTA Odontol Scand 55 (1997), "Effect of xylitol in an enzyme-containing dentifrice without sodium lauryl sulfate on mutans streptococci in vivo", pages 212-216

## Russian Search Report (

EXAMINER:

DATE CONSIDERED

**EXAMINER:** Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.

\* English language abstract provided for the Examiner's convenience

lad




## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>7</sup> : <b>A61L 15/42, A61F 13/02</b>	<b>A1</b>	(11) International Publication Number: <b>WO 00/51650</b> (43) International Publication Date: <b>8 September 2000 (08.09.00)</b>
<p>(21) International Application Number: <b>PCT/SE00/00201</b></p> <p>(22) International Filing Date: <b>2 February 2000 (02.02.00)</b></p> <p>(30) Priority Data: <b>9900737-9</b>      <b>1 March 1999 (01.03.99)</b>      <b>SE</b></p> <p>(71) Applicant (for all designated States except US): <b>MÖLNLYCKE HEALTH CARE AB [SE/SE]; Box 13080, S-402 52 Göteborg (SE).</b></p> <p>(72) Inventors; and (75) Inventors/Applicants (for US only): <b>ARESKOUG, Stefan [SE/SE]; Kalkstensvägen 4, S-433 41 Mölnlycke (SE). LINDQUIST, Bengt, W. [SE/SE]; Lejonstengatan 1, S-431 64 Mölndal (SE). KUUSE, Staffan [SE/SE]; Grönhultsvägen, PL 610, S-430 63 Hindås (SE).</b></p> <p>(74) Agents: <b>BERG, S., A. et al.; Albihns Patentbyrå Stockholm AB, P.O. Box 5581, S-114 85 Stockholm (SE).</b></p>		<p>(81) Designated States: <b>CA, CN, JP, PL, RU, US, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).</b></p> <p><b>Published</b> <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments. In English translation (filed in Swedish).</i></p>

(54) Title: **WOUND DRESSING**

## (57) Abstract

The present invention relates to a wound dressing (1) that comprises an hydrophilic foam layer (3) which is coated with a liquid-permeable adhesive layer (4) on one side. According to the invention the dressing includes an absorbent layer (2) disposed on the foam layer (3) on the side opposite to the adhesive coating (4), wherein said absorbent layer is able to drain the foam layer through the action of capillary forces, and wherein the dressing further includes means that ensure effective contact between the absorbent layer and the foam layer.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

WOUND DRESSING

## FIELD OF INVENTION

- 5 The present invention relates to a wound dressing that includes an hydrophilic foam layer that is covered on one side with a liquid permeable adhesive layer.

## BACKGROUND OF THE INVENTION

- 10 Weeping wounds or sores are typically treated with wound dressings that include a pad which absorbs surplus fluid exuding from the wound. The fluid, or semifluid, absorbed by the pad spreads laterally in the dressing and may reach the skin which lies around the edges of the wound and which then comes into contact with the fluid. This fluid contact is potentially harmful to the skin, as it may result in maceration of the skin or damage the
- 15 skin in some other way. This is a highly common complication in the treatment chronic wounds and sores.

Another problem is that the change of dressings will often have a deleterious affect on the healing process.

20

- An object of the present invention is to provide a wound dressing with which the risk of skin maceration is reduced and with which that part of the wound pad that lies proximal to the wound is kept free from fluid until the pad becomes saturated. Another object of the invention is to provide a two-layer dressing that includes a drainable first layer of
- 25 hydrophilic foam that lies nearest the wound. This layer can be left on the wound, or sore, over a long period of time whereas a second layer that functions to drain the first layer can be changed at regular intervals.

## SUMMARY OF THE INVENTION

30

These objects are achieved with a wound dressing which comprises an hydrophilic foam layer that is coated with a layer of liquid-permeable adhesive on one side, wherein the dressing is characterized by an absorbent layer disposed on the foam layer on the opposite side of the adhesive coating and which has the ability to drain the foam layer by capillary action; and in that the dressing includes means for ensuring that good contact is obtained between the absorbent layer and the foam layer. The capillary forces in the layer of absorbent material act to empty the foam layer of fluid, therewith essentially eliminating the risk of skin maceration. This enables the foam layer to remain on the wound bed for a longer period of time without needing to be changed.

In one preferred embodiment of the invention, the hydrophilic foam layer has a maximum thickness of 2 mm and a mean cell size of 300-500  $\mu\text{m}$ . The adhesive coating is comprised of a soft, sticky, hydrophobic elastomer.

The invention also relates to a wound dressing intended for co-action with an absorbent body, wherein the dressing is characterized by an hydrophilic foam layer which has on one side an adhesive coating that extends over the whole of its surface without blocking or clogging the pores of said layer, wherein said layer has a thickness of at most 2 mm and a mean cell size of 300-500  $\mu\text{m}$ .

## BRIEF DESCRIPTION OF THE DRAWINGS

The invention will now be described with reference to the accompanying drawings, in which

Figure 1 is a schematic perspective view of a part of a wound dressing according to a first embodiment of the invention;

Figure 1A shows part of the dressing in Figure 1 in larger scale; and

Figure 2 is an electron microscope image of the pore structure in the absorbent foam material included in the wound dressing of Figure 1.

## DESCRIPTION OF EMBODIMENTS

The wound dressing illustrated in Figure 1 includes a wound pad 1 that comprises two layers 2, 3. The bottom layer 3 is comprised of an hydrophilic polyurethane foam having open cells. The underside of the foam layer, which faces towards the wound when worn, is provided with a coating 4 of soft, sticky, hydrophobic elastomeric material, preferably silica gel. As illustrated schematically in Figure 1A, the gel layer is disposed so that part of the walls of the open cells or pores 5 of the foam material that open onto the gel coated side will also be coated with gel. Because the gel layer 3 does not close the pores, but merely covers a part of the walls of some of the pores of the foam facing towards the wound, excess wound fluid or exudate is drawn up into the foam material and absorbed therein. A method of producing such a gel layer is described in WO 97742985 A1, to which reference is made for a closer understanding of the method of manufacture. The upper layer 2 is comprised of an absorbent material that is able to drain the bottom layer 3, in other words the capillary forces in the upper material shall be greater than the capillary forces in the bottom layer. When the upper layer is comprised of foam material, the pores in the upper layer shall be smaller than the pores in the bottom layer. When the upper layer is comprised of fibrous material, the capillaries in the material may be so narrow that the capillary forces will be greater in this layer than in the bottom layer. The size of the capillaries of fibrous material can generally be reduced by compression, and it is therefore relatively easy to produce fibrous material that is able to drain the foam layer 3.

The layer 2 may be comprised of cellulose fluff, although other material may be used, such as gauze or non-woven material.

25

When such a dressing is placed over a weeping wound or sore, surplus fluid or exudate from the sore will be drawn up into the layer 3. As the exudate drawn into the layer 3 comes into contact with the upper layer 2 it will be transported through the layer 3 and absorbed in the layer 2 before being able to spread in the layer 3 to any appreciable extent, by virtue of the capillary forces acting in the layer 2 being greater than the capillary forces acting in the layer 3. Fluid exuded from the wound will therefore be

30

absorbed in the upper layer 2 until said layer is saturated, and not in the bottom layer 3. This essentially eliminates the risk of long term contact of wound fluid with the skin around the edges of the wound such as to cause maceration of the skin. However, the bottom layer 3 will still remain moist, so as to sustain a desirable moist wound environment. The bottom layer 3 will not be filled with fluid until the upper layer is saturated. The upper layer will therefore preferably be dimensioned to accommodate all or at least the largest part of the fluid that is intended to be absorbed by the dressing, so that the bottom layer can be drained during the full life time of the dressing. The bottom layer 3 shall therefore have a thickness which positively distances absorbed exudate from the wound bed while, at the same time, being sufficiently thin to ensure that exudate will come into contact with the upper drainage layer 2 as soon as possible. The bottom layer 3 will preferably have a thickness of between 1-2 mm.

The layers 2 and 3 are held together in some suitable way, for instance by means of a support bandage or an elastic tape or plaster, such as to be anchored to that part of the wearer's body on which the wound is situated. In order for the capillary forces in the upper layer 2 to function in the intended manner, it is important that the layers 2 and 3 are in effective contact with each other and that the support bandage is preferably applied so as to press the layer 2 against the layer 3 with only a small force.

The bottom layer is preferably made of a foam material of the kind at present used in wound dressings, for instance a polyurethane foam Amrel LO562-6 from Rynel, USA, in which ...% of the pores have a size that is greater than ...  $\mu\text{m}$ . The capillary forces of such foam material are so small as to enable all types of fibrous absorbent bodies at present used in wound care to be able to drain such a layer. Figure 2 is an electron microscope image of the pore structure of one such material.

The foam layer 3 is particularly flexible and will adapt to the shapes of all parts of a wearer's body on which they can need to be used. Such layers are therefore particularly suitable for use on large wound surfaces and can be left on the wound for the full duration of the healing process. Absorbent bodies comprised of fibrous material are less

flexible than bodies of absorbent foam material, and consequently it may be necessary to supplement an inventive gel-coated layer that covers a large wound with several mutually adjacent absorbent bodies of fibrous material in order to ensure that the two layers of the inventive dressing are in effective contact with each other over the whole area of the wound.

It will be understood that the described embodiment can be modified in several ways within the scope of the invention, particularly with respect to the material used in the dressing. For instance, the plastic foam layer may be comprised of other plastic foams, e.g. viscous foam, EVA-foam, silicon foams that have been made hydrophilic, and so on. Also other absorbent fibrous materials may be used, wherewith the fiber body may be given different capillary sizes by appropriate compression of the material. The invention is therefore restricted solely by the contents of the following claims.



### Claims

1. A wound dressing (1) that comprises an hydrophilic foam layer (3) which is coated with a liquid-permeable adhesive layer (4) on one side, **characterized by** an absorbent  
5 layer (2) disposed on the foam layer (3) on the side opposite to the adhesive coating (4), wherein said absorbent layer is able to drain the foam layer through the action of capillary forces, and is further characterized in that said dressing includes means that ensure good contact between the absorbent layer and the foam layer.
- 10 2. A wound dressing according to Claim 1, **characterized in** that the hydrophilic foam layer has a thickness of 2 mm at most.
3. A wound dressing according to Claim 1 or 2, **characterized in** that the cells in the foam layer have a mean size of 300-500  $\mu\text{m}$ .
- 15 4. A wound dressing according to any one of Claims 1-3, **characterized in** that the adhesive coating is comprised of a soft, sticky, hydrophobic elastomer.
5. A wound dressing for co-action with an absorbent body, **characterized in** that said  
20 dressing comprises an hydrophilic foam layer which has on one side an adhesive coating that extends over the whole of said layer without blocking or clogging the pores of said layer; and in that the layer has a thickness of 2 mm at most and a mean cell size of 300-500  $\mu\text{m}$ .




FIG. 1




FIG. 1A




FIG. 2

**SUBSTITUTE SHEET**

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 00/00201

## A. CLASSIFICATION OF SUBJECT MATTER

IPC7: A61L 15/42, A61F 13/02

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: A61L, A61F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 9621682 A1 (THE PROCTER & GAMBLE COMPANY), 18 July 1996 (18.07.96), page 10, line 2 - line 31; page 30, line 3 - line 12, claims 1-4,9, example 9 --	1-5
Y	SE 456966 B (MÖLNLYCKE AB), 21 November 1988 (21.11.88), page 3, line 33 - line 38 --	1-5
Y	WO 9742985 A1 (SCA MÖLNLYCKE AB), 20 November 1997 (20.11.97), claims 1,2,11,12 -- -----	1-5

☐ Further documents are listed in the continuation of Box C.☒ See patent family annex.

## \* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&amp;" document member of the same patent family

Date of the actual completion of the international search

19 July 2000

Date of mailing of the international search report

24 -07- 2000

Name and mailing address of the ISA/  
Swedish Patent Office  
Box 5055, S-102 42 STOCKHOLM  
Facsimile No. +46 8 666 02 86

Authorized officer

Jack Hedlund / MRo  
Telephone No. +46 8 782 25 00

**INTERNATIONAL SEARCH REPORT**  
Information on patent family members

02/12/99

International application No.  
PCT/SE 00/00201

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9621682 A1	18/07/96	AU 4897396 A	31/07/96
		BR 9606735 A	13/01/98
		CA 2208642 A	18/07/96
		CA 2226408 A	18/07/96
		CN 1177359 A	25/03/98
		CZ 9702181 A	17/12/97
		EP 0802930 A	29/10/97
		FI 972917 A	08/09/97
		HU 9800796 A	28/07/98
		JP 10512168 T	24/11/98
		NO 973186 A	10/09/97
		US 5795921 A	18/08/98
		US 5849805 A	15/12/98
		US 5899893 A	04/05/99
		ZA 9600134 A	30/07/96
		US 5873869 A	23/02/99
SE 456966 B	21/11/88	SE 8701244 A	26/09/88
WO 9742985 A1	20/11/97	CN 1193282 A	16/09/98
		EP 0855921 A	05/08/98
		JP 11509462 T	24/08/99
		SE 505000 C	09/06/97
		SE 9601853 A	09/06/97